


# **Double Toilet Tissue Holder – Surface Mounted, Controlled Delivery**

Toilet Tissue Dispensers

MasterFormat Section 10 28 13





Scan for Information





### Sustainability/LEED

MR 4.1 (1) MR 6 (1) EQ 4.2 (1) MR 4.2 (1) EQ 4.1 (1) EQ 4.4 (1)

NOTE:
ALL DIM'S INCH [MM]
ILLUSTRATION FOR REF ONLY AND NTS

# **PRODUCT OVERVIEW**

Heavy-duty cast aluminum, satin matte silver-gray finish. No waste rocking action spindles of cycolac ABS thermoplastic. Holds 2 rolls up to 6" diameter [Ø152] (2000 sheets).

## KEY FEATURES & SPECIFICATIONS

- Double Roll Dispenser
- Controlled Delivery Spindle
- · Aluminum Casting with Satin-Matte, Silver-Grey Finish
- Surface Mounted

American Specialties, Inc. | 441 Saw Mill River Road, Yonkers, NY 10701 | (914) 476-9000 | www.americanspecialties.com

Model:#0264-1

Revision: R2 Issued: 11/1/2021 Revised: 5/29/2023



## **OPERATION & MAINTENANCE**

Spindles revolve 1/2 revolution for each operation and then return to their original position. Roll core prevents access to release pin and cannot be removed from spindle until exhausted. Unit is replenished by releasing a concealed pin which in turn releases a spring lock mechanism on spindle. Spindles operate independently.

### TECHNICAL INFORMATION / PRODUCT PROPERTIES

Property	Value
Dimensions	13" [330] W x 1-3/4" [45] H x 4-3/4" [120] D
Construction	Aluminum Casting with Satin-Matte, Silver-Grey Finish
Mounting	Surface Mounted
Capacity	Holds two (2) rolls of standard core roll toilet paper up to 6" Dia. [Ø152]

#### INSTALLATION

Unit is surface mounted on wall or partition using #10 self-threading screws (by others). For compliance with 2010 ADA Accessibility Standards, unit should be installed so that tissue roll centerline is between 44" [1118] maximum above finished floor (AFF) and 19" [483] minimum AFF.

#### **O**PTIONS

#### WARRANTY

One (1) Year from date of Invoice

American Specialties, Inc. | 441 Saw Mill River Road, Yonkers, NY 10701 | (914) 476-9000 | www.americanspecialties.com

Model:#0264-1 Revision: R2 Issued: 11/1/2021 Revised: 5/29/2023